

The Canon logo is positioned in the top left corner of the page. It features the word "Canon" in a bold, red, sans-serif font. The background of the entire page is a close-up, artistic photograph of a printer's internal mechanism, showing various rollers, gears, and paper paths. The lighting is dramatic, with a strong blue and cyan color palette, and some red and pink highlights, creating a sense of depth and mechanical complexity. The overall composition is dynamic and modern.

GP 285
GP 335
GP 405

NETWORK DOCUMENT
SOLUTIONS





Easy and complete connectivity at a touch

Designed with a powerful, embedded network print controller, your digital copier is ready to be transformed into a fully operational network printer - instantly. Standard Ethernet and optional Token Ring connectivity, with fast processing speeds and extensive protocol support, provide high quality printing across all environments. To get you up and running in no time at all.

Effortless control and management

Canon's special NetSpot™ software ensures simple, straightforward configuration, monitoring and control of your GP via the network. Using the Web browser, you can check printer availability and all print jobs - right from your PC screen. With a Web Spooler, for easy print queue management. There are even mailboxes, with personal password protection, to ensure your confidential material is not mixed up with other output when sent to the printer.

Increasing overall speed and quality

Standard support for PCL® 5e and optional Adobe® PostScript® 3™ printing provides faster performance, improved quality and an extended font set (139 Type 1 and 3 fonts and 45 True Type fonts). At the same time, Continuous Print™ and RIP-While-Print™ technologies optimize your overall printing capabilities and ensure continuous throughput, while also eliminating engine cycle-down time.

Full finishing from your desktop

With its fast printing speed, the GP system easily outperforms conventional printers. But to really boost productivity it also supports all the copier features - from a high capacity paper supply to limitless duplexing and state-of-the-art finishing. See jobs go straight from your PC screen to prepared material that's ready to distribute. Whether stapled reports, folded brochures or bound booklets.

Benefit from complete network control

Your GP 285, 335 or 405 is the perfect system for complete document management, on the network. With easy and seamless connection and desktop control, for fast, flexible printing. Plus high speed, high quality faxing. All in one unit.



Your high-speed Super G3 Fax

Use your GP system as a fast, flexible, plain paper fax without equal. Super G3 drastically reduces sending time, not just per page but between pages and at the start and end of transmission - to slash communications costs. With A3 stream-feed versatility and sending from books. Other advantages include duplexing for sending and receiving, productive dual access operation, a fax directory with 200 addresses and a PC/Fax capacity for sending direct from your computer.

Outstanding fax quality at all times


Send crisp, clear faxes with a 400 dpi resolution and receive perfect fax print outs at a high, interpolated 600 dpi resolution. Also, with new JBIG compression support, sending complex graphics or photographs is no longer a problem. Transmit high quality image data at high speeds - to improve quality, while saving time and money. Canon technology also automatically ensures clearer transmission and reception for all text and images - with sharp, jagged edges smoothed out.

Complete multifunctional convenience

What if you want to copy material while the GP is faxing or printing? Thanks to the machine's versatility, it's possible to carry out multiple tasks at the same time. A priority service lets you determine which are the most urgent jobs, while dedicated trays allow you to sort output by function - without any mix ups. The end result is productivity taken to perfection.

Scan in images instantly

Add photographs and images to your work, to bring it to life. Scanning is easily available via the SCSI port, with the GP system. For that special, creative touch. Canon has long been an industry leader in high quality copying, printing, faxing and scanning technologies. Now you can benefit from all this expertise, in one high-performance digital system - that's far more economical and efficient than stand-alone units.



- **Fast printing at 40 (GP 405)
or 33 (GP 335) or 28 (GP 285)
pages per minute**
- **Easy network connectivity**
- **Complete desktop control**
- **Supports all copier finishing
functions also when printing**
- **Super G3 Fax communication**
- **JBIG image compression**
- **Practical scanner option**
- **Multifunctional convenience**



Fast printing and faxing direct from your desktop


Turn your digital GP 285, 335 or 405 copier into a highly productive printing and faxing system ... and see productivity go right through the roof! Enjoy easy and smooth connectivity, with seamless network printing. Control and manage all jobs direct from your PC screen. Fax data-heavy documents, fast and efficiently. With one compact, high performance, multifunctional machine.

Specifications GP 285/335/405

- Type:** Desktop type
- Copying system:** Laser dry electrostatic transfer system
- Platen:** Fixed
- Acceptable originals:** Sheets, books and three dimensional objects up to 2 kg
- Maximum original size:** A3
- Copy sizes:** Cassette: A5 to A3
Manual: A6 (postcard) to A3
- Resolution:** 600 x 600 dpi, 256 tones, 1,200 x 600 dpi interpolated resolution
- Zoom:** 25% - 800% in 1% increments
- First copy time:** Less than 6 seconds
- Warm-up time:** Less than 81 seconds
- Multiple copies:** 1 - 999
- Dimensions (W x D x H):** 602 mm x 720 mm x 539 mm
- Weight:** Approx. 83.4 kg
- Power consumption:** 1.5 kW or less
- Fixing system:** Heat Roller System
- Paper:** Cassette: 80 g/m²
Stack bypass: 128 g/m²
- Input Paper capacity:** Dual cassettes (500 sheets each)
Stack bypass (50 sheets)
- Duplex:** Standard (stackless)
- Image Memory:** 32 MB (96 MB maximum)
- Speed:** **GP 285**
28 ppm/A4, 20 ppm/A3, 28 ppm/A5
GP 335
33 ppm/A4, 20 ppm/A3, 33 ppm/A5
GP 405
40 ppm/A4, 20 ppm/A3, 40 ppm/A5

OPTIONS:

- ① DADF-A1 (50 sheets/A4) • DADF-B1 (30 sheets/A4)
- Finisher-C1 (1,500 sheets A4) ② Saddle Finisher-C2 (1,500 sheets A4 + Saddle Stitch Unit) ③ Finisher-E1 (1,000 sheets A4)
- Multi Output Tray 3-D1 (300 sheets A4) • Pedestal ④ Cassette Feeding Unit-S1 (2 x 500 sheets) • Cassette Feeding Unit-R1 (4 x 500 sheets) ⑤ Paper Deck-B1 (3,500 sheets/A4) • Control Card V



FAX FEATURES:

- **Group 3** (support for Super G3) • **Modem speed:** 33,600 bps
- **JBIG image compression** • **Resolution:** up to 400 dpi (256 grey levels) • **Image mode:** Standard, Fine, Super Fine, Ultra Fine
- **Memory:** 32 MB up to 96 MB (shared memory) • **Paper size:** A5 to A3 • **Duplex:** yes, both sending and receiving • **Memory features:** Delayed Transaction (5 Time settings/216 destinations), Batch sending, Polling, Relay Broadcast, Confidential Mailbox (70 mailboxes), Memory Lock
- **Dialling Features:** Regular dialling (120 digits per number), Re-dialling (1-15 times), One touch speed dialling (60 one touch buttons), Coded speed dialling (140 destinations), Group dialling (199 different groups)

PRINTER FEATURES:

- **CPU:** MIPS R5000, 200 MHz • **RAM:** 32 MB DIMM (maximum 64 MB) • **Hard Disk:** 2.1 GB • **Resolution:** 600 dpi (1,200 x 600 dpi with smoothing), 256 Grey levels • **Speed:** 28/33/40 ppm • **Duplex printing:** yes • **Paper size:** up to A3 • **PDL:** PCL® 5e, optional Adobe® PostScript® 3™
- **Printer Interfaces:** Bi-Centronics Parallel
- **Network Interfaces:** 10Base-T, 100Base-T, 10Base-5 (10Base-2 and Token Ring - optional) • **Supported Protocols:** TCP/IP, IPX/SPX, EtherTalk
- **Printer Drivers:** Windows® 95/98, Windows® NT 4.0, Macintosh

SCANNER FEATURES:

- **Interface:** SCSI • **Resolution:** 150 dpi-2,400 dpi, 256 Grey levels
- **RAM:** 10 MB • **Scanning area:** up to A3 • **Drivers:** TWAIN, ISIS

™ All company and/or product names are trademarks and/or registered trademarks of their respective manufacturers in their markets and/or countries.

Canon reserves the right to change specifications without notice.

Canon

Canon Inc.

30-2, Shimomaruko 3-Chome, Ohta-ku,
Tokyo 146-8501, Japan

Europe, Africa and Middle East

Canon Europa N.V.

P.O. Box 2262, 1180 EG Amstelveen,
the Netherlands

www.canon-europa.com

English Edition ZCQ-0601GP3

© Canon Europa N.V., 2000 (0500)



© 1986, WWF-World Wide Fund For Nature (formerly World Wildlife Fund)